

CONDITIONS OF APPROVAL

Lands of Firouzdor – 12874 Viscaino Road – File# SD21-0100

PLANNING DEPARTMENT

1. Any further changes or modifications shall be first reviewed and approved by the Planning Director, prior to planting or commencement of work.
2. All required screening plantings shown on the plans shall be installed *prior to final inspection of the new residence*. All screening trees shall be 24-inch box minimum and all screening shrubs shall be 15-gallon minimum. All exposed areas must be treated for erosion control to the satisfaction of the Engineering Department *prior to final inspection*.
3. Exterior lighting is approved as shown on the plans. **All pathway light fixtures and wall light fixtures shall be a maximum of 200 lumens and 2,700 Kelvins.** Any changes to the approved lighting plan shall be approved by the Planning Department *prior to installation*. All exterior lighting fixtures shall be down directed, fully shielded, and non-movable fixtures. No lighting may be placed within setbacks except two driveway or entry lights.
4. **A hedge of 5-gallon, evergreen shrubs shall be placed around the pool equipment and at the base of the walls around the pool. In addition, three Arbutus marina trees (non-compact species) shall be located along the north side of the home and one additional olive tree shall be placed in the planter area below the garage in line with the existing olive trees.**
5. **Only drought tolerant, northern California native plants shall be planted within the open space easement. Completely remove all Eucalyptus stumps.**
6. The property owner shall remove all Stinkwort (*Dittrichia graveolens*) plants from the entire property and in the road right-of-way by manual pulling or use of herbicide by October 1st of each year until the final approval of the project.
7. Pathways within setbacks shall not exceed four feet in width.
8. **No additional hardscape is permitted around the pool area other than the steps to the pool levels and the pool equipment pad. Artificial turf over compacted earth and aggregate can be placed around the pool up to a maximum of 250 square feet of area.**
9. The location, height and materials of the walls, fences and gates shall be constructed according to the approved plans with the following modifications:
 - a. **The fencing within the open space easement on the lower portion of the property shall be wildlife friendly with split rail fencing (3 rails maximum) and a height not to exceed five (5) feet.**
 - b. **All retaining walls with a stucco finish coat shall utilize an integrated color in the stucco mixture with an LRV of 50 or less.**

Any changes to the location, height, or construction of any proposed fences, gates, or columns shall first be approved by the Planning Department.

10. A Certificate of Completion shall be prepared by the project Landscape Architect, Irrigation Designer, or Landscape Contractor, provided to the Town, and include the following statement: "The landscape and irrigation system has been installed as specified in the landscape design plan and complies with the criteria of the Water Efficient Landscape Ordinance and the permit." The Certificate of Completion shall be submitted at completion of landscape installation (not required prior to final inspection).
11. A \$5,000 landscape maintenance and water usage deposit shall be paid to the Town *prior to final inspection of the new residence*. Two years after the project has been completed, staff will review the water usage for the property and conduct a site inspection to ensure installed landscape screening is still present and has been adequately maintained. Inadequate maintenance of installed landscape screening and/or water usage greater than the annual usage indicated on the approved parcel water budget worksheet, may result in complete forfeiture of this deposit.

ENGINEERING DEPARTMENT

12. Any revisions or additions to the approved grading and drainage plan shall be submitted for review by the Engineering Department. The plan shall be reviewed by the Engineering Department and approved prior to commencement of this project. The approved plan shall be stamped and signed by the project engineer and shall supersede the previously approved grading drainage plan.
13. No grading shall take place during the grading moratorium (October 1 and April 30) except with prior approval from the City Engineer. No grading shall take place within ten feet of any property line.
14. An encroachment permit shall be obtained from the Public Works Department for all work proposed in the public right-of-way. No work within the public right-of-way shall commence without an encroachment permit.
15. Any and all areas on the project site that have the native soil disturbed shall be protected for erosion control during the rainy season and shall be replanted prior to final inspection.
16. All irrigation systems must be located at least three feet from the Town's pathways and outside of the public right of way and public utility easements. The Town staff shall inspect the site and any deficiencies shall be corrected to the satisfaction of the Engineering Department prior to final inspection.

FIRE DEPARTMENT

17. Review of this Developmental proposal is limited to acceptability of site access, water supply and may include specific additional requirements as they pertain to fire department

operations and shall not be construed as a substitute for formal plan review to determine compliance with adopted model codes. Prior to performing any work, the applicant shall make application to, and receive from, the Building Department all applicable construction permits.

18. Gate installations shall conform with Fire Department Standards Details and Specifications D-1 and, when open shall not obstruct any portion of the required width of 14' for emergency access roadways or driveways. Locks, if provided, shall be free department approved prior to installation. Gates across the emergency access roadways shall be equipped with an approved access device. If the gates are operated electrically, and approved Knox key switch shall be installed; if they are operated manually, then an approved Knox padlock shall be installed. CFC Sec.503.6 and 506. ***After installation, contact 408-341-4420 to schedule an inspection to verify operation of the Knox product.***

Project approval may be appealed if done so in writing within 14 days of the date of the approval.

Please refer to the Conditions of Project Approval set forth herein. If you believe that these Conditions impose any fees, dedications, reservation or other exactions under the California Government Code Section 66000, you are hereby notified that these Conditions constitute written notice of a statement of the amount of such fees, and/or a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest such fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

Upon completion of the construction, a final inspection shall be required to be set with the Planning and Engineering Departments prior to final building inspection approval.

NOTE: The Site Development permit is valid for one year from the approval date (until March 29, 2023). All required building permits must be obtained within that year and work on items not requiring a building permit shall be commenced within one year and completed within two years.